

### (19) World Intellectual Property Organization

International Bureau



## A COURT BILLIAND IN CORRES COURT COURT COURT AND A COURT COURT FOR A COURT COURT COURT COURT COURT COURT COURT

(43) International Publication Date 31 December 2003 (31.12.2003)

**PCT** 

# (10) International Publication Number WO 2004/001996 A1

(51) International Patent Classification<sup>7</sup>: H03J 5/24

H04B 1/40,

(21) International Application Number:

PCT/US2000/022162

(22) International Filing Date: 10 August 2000 (10.08.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/148,020

10 August 1999 (10.08.1999) U

(71) Applicant (for all designated States except US): QUAL-COMM INCORPORATED [US/US]; 5775 Morehouse Drive, San Diego, CA 92121-1714 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): SEE, Puay, H. [SG/US]; 12682 Torrey Bluff Drive #230, San Diego, CA 92130 (US).

(74) Agents: WADSWORTH, Philip, R. et al.; Qualcomm Incorporated, 5775 Morehouse Drive, San Diego, CA 92121-1714 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: BAND SWITCHABLE INTERMEDIATE FREQUENCY BAND PASS FILTER



(57) Abstract: This invention is used within a Mobile Station (Cellular Phone). In particular it is part of the transmitter of the Mobile Station. This invention switches in the capacitor at low frequency in the Single Pole Band Pass filter. At high frequency the capacitor is switched out. Using this topology, a low loss Band Pass filter can be implemented for Mobile Station Transmit IC. This invention uses low component counts.

#### BAND SWITCHABLE INTERMEDIATE FREQUENCY BAND PASS FILTER

### INVENTION DISCLOSURE FORM

The invention described herein evolved during the course of my (our) employment at QUALCOMM, and is being submitted pursuant to the terms of my (our) signed Employee Agreement(s).

### Questions?

٠.

You may also try calling ext. 15886.

Remember: If you have electronic (soft) copies of documents describing your invention, you can save time by submitting them with this web page using the upload browser fields in Sections II and III.

#### Section I: General Information

A. TITLE OF THE INVENTION	
A method to switch between 2 Interma Frequency Band Pass filter with low for Mobile Station Transmit Interga Circuit.	EXAMPLE:  A method and apparatus for processing RF signals using signal detection and noise cancellation techniques.
B. PURPOSE OF THE INVENTION	
This invention reduces the loss of the Band Pass filter switch using minimum components count.	Please explain the purpose, or intended utility, of your invention.  EXAMPLE:  The invention reduces the required signal to noise level, thereby increasing the capacity of a CDMA cellular telephone system.
C. PRIORITY	
What is the priority of your invention based on its importance to your project or the next anticipated public disclosure or use?  Very High = filed within 2-3 months, High = within 6 months, Normal = within one year,	Very High ▼

! !
If you specified Very High or High priority, or you think there is information about your invention that will help us assess its priority, please explain it here.  EXAMPLE:  I feel the invention has significant value to QUALCOMM. After discussing it with others I am concerned that our competitors may be working on this same problem. Also, the planned release of the product in within the next six months.
EXAMPLE: kleing
asee
<u></u>
EXAMPLE: Klein S. Gilhousen kleing 658-1234 Q-358
Name: See, Puay Hoe Email: asee Tel Number: 619 651 7843 Bldg & Suite: V217H
Name: Email: Tel Number: Bldg & Suite:
Name: Email: Tel Number:
THE RESERVE THE PROPERTY OF THE PARTY OF THE

Inventor 4 Info:	Name: Email: Tel Number: Bldg & Suite:					
Inventor 5 Info:	Name: Email: Tel Number: Bldg & Suite:					
Inventor 6 Info:	Name: Email: Tel Number: Bldg & Suite:					
If there are more than six (6) inventors please type two inventors separated by a backslash (1) in a single inventor name field.	two inventors separated by a backslash (1) in a					
F. PUBLIC DISCLOSURE OR OFFER FOR SA	LE OF THE INVENTION					
	Please describe any public use, public disclosure, or offer for sale of the invention or the system in which the invention is used. Please provide dates when possible.  EXAMPLE:  The invention has been used in the field for at least two months. We also plan to discuss the invention in an upcoming conference.					
G. INVENTION AND CONCEPTION						
Please input the date, if any, associated with each event.	EXAMPLE: 1/19/95					
Conception of the Invention:	7/23/99					
Reduction to Practice:	7/28/99					
Construction of device started on:	7/28/99					
Construction of device was completed on:	7/28/99					
H. FUNDING						
Government or other contract? NO V Project Name: Acct Charged:	Company funded? YES V Project Name: Acct Charged:					

### Section II: Background Information

A. OPERATING ENVIRONMENT	
Please describe the system and subsystems in which the invention is expected to be used, as well as other potential systems which could benefit from the use of the invention.	This invention is use within a Mobi station (Cellular Phone) In particue it is part of the Transmitter of the Mobile Station.
EXAMPLE: The invention is used within a cellular base transceiver station. In particular it is part of the cell site modern. The invention could also be used in a satellite or point to point wireless system, and could be incorporated into a subscriber unit with some modifications.	
A High Level Design (HLD) Document may be a useful reference.	[4] [F]
If you have a document describing the system in which the invention is to be used you may submit a soft copy by typing the name and directory of the document or by selecting the document via your system browser.	System Description Document:
B. INFORMATION SOURCES	
Please provide any sources of background information you think might be useful to the preparation of the application.  EXAMPLE: CSM technical manual - QUALCOMM document number 80-12345. Digital Communications: Fundamentals and Applications, Author Bernard Sklar.	<b>□</b>
Please attach any available background document using your system browser. If you have more than one document please attach below or send via e-mail.	Background Document:
C. BACKGROUND AND PRIOR ART	
How was the task previously performed prior to your invention? Can you provide the name of such a system?  EXAMPLE: The reverse link signal was demodulated along with the noise created by the other reverse link signals. The previous version of the CSM operated in this manner.	
<u>.</u>	[

### Section III: Description of the Invention.

### A. OPERATION **EXAMPLE**: During operation a set of reverse link signals are received at the base transciever station. Each signal is demodulated at the base station and a best estimate of the transmitted data is made. Using that best guess, an ideal waveform is generated for each reverse link Please describe the normal operation of your signal, and that ideal wave form is subtracted from invention in as detailed a manner as possible. the incoming set of reverse link signals. The adjusted set of reverse link signals are processed, and a second estimate of the data being transmitted is made. This second estimate is more likely to be accurate than the first, and thus the performance of the system is improved. This invention switches in the capacitor at low frequency in the Single Pole Band Pass filter. At high frequency the capacitor is switched out. Using this topology, A low loss Band Pass filter can be implemented for Mobile Station Transmit IC. This invention uses low component counts. Please attach any document further describing the **Invention Description Document:** invention. B. STRUCTURE You may attach a soft copy, or hotmail a hard copy to Please include at least one drawing illustrating B. Edmonston (T-160G) in the patent department the structure of flow (i.e. flow diagram) of your separately. Please include the title of your invention invention. along with the drawings. Drawing of Invention: Additional Drawing of Invention: Additional Drawing of Invention: C. MISCELLANEOUS

Please add any additional information or general comments that would be helpful in processing this, or future, disclosures. Also, feel free to list or describe any documents being sent to us in relation to this disclosure.					
	A hard copy of the circuit diagram will	be sent			
	to you.	ŧ :			
	•				
	· · · · · · · · · · · · · · · · · · ·				
	; ;	· 1 )			
		; ;			
	:				
	4	ा ।			

### End of Invention Disclosure Form.

Thank you for using QUALCOMM's Internal Invention Disclosure Page. You will be contacted shortly regarding your invention disclosure submission. Feel free to check on the status of your submission at any time. Status

A copy of your disclosure will be e-mailed to you. If you do not receive, please call 15886.

Submit Form			
•			

### **CLAIMS**

		A tank circuit for switching a transmitter between two intermediate transmit
2		frequencies, comprising:
		An inductance;
4		A first capacitance connected in parallel with said inductance;
		A second capacitance connected in series with a switch;
6		said second capacitance and said switch connected in parallel with said
		first capacitance;
8		means for operating said switch to switch said second capacitance in and
		out of said tank circuit, thereby changing the reactance of the tank circuit
10		and the transmit frequency of said transmitter.
	2.	A dual band wireless communication device having a transmitter operative in at
2	٠.	least two different transmit frequency bands, comprising:
_		A switched capacitance tank circuit for switching said transmitter between
4		said two different transmit frequency bands, said tank circuit comprising;
		An inductance;
6		A first capacitance connected in parallel with said inductance;
		A second capacitance connected in series with a switch;
8		said second capacitance and said switch connected in parallel with
		said first capacitance;
10		means for operating said switch to switch said second capacitance
		in and out of said tank circuit, thereby changing the reactance of
12		the tank circuit and the transmit frequency of said transmitter.




FIGURE 1 : Low Loss Switch IF Tonk Design For Mobile Transmit IC




FIGURE 2 : Low Loss Switch IF Tank Design For Mobile Transmit IC




FIGURE 3 : Low Loss Switch IF Tank Design For Mobile Transmit IC




FIGURE 4: Low Loss Switch IF Tank Design For Mobile Transmit IC

#### INTERNATIONAL SEARCH REPORT

Inte nal Application No PCT/US 00/22162

PCT/US 00/22162 CLASSIFICATION OF SUBJECT MATTER PC 7 H04B1/40 H03J H03J5/24 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC 7 HO4B HO3J Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, WPI Data, PAJ C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. X 1,2 US 4 996 599 A (ANDERSON WILLIAM D) 26 February 1991 (1991-02-26) the whole document DE 40 28 572 A (TELEFUNKEN SENDERTECHNIK) 1 12 March 1992 (1992-03-12) 2 A the whole document A US 5 880 643 A (GAERDENFORS TORBJOERN ET 1,2 AL) 9 March 1999 (1999-03-09) the whole document X US 4 186 360 A (OHASHI TADAMASA) 1 29 January 1980 (1980-01-29) A abstract 2 column 1, line 1 -column 2, line 25 figure 2 -/--Patent family members are tisted in annex. Further documents are listed in the continuation of box C. Special categories of cited documents : \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance invention \*E\* earlier document but published on or after the international "X" document of particular relevance; the claimed invention filing date cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-"O" document referring to an oral disclosure, use, exhibition or ments, such combination being obvious to a person skilled document published prior to the international filing date but later than the priority date claimed in the art. "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 14 November 2000 24/11/2000 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni,

Fax: (+31-70) 340-3016

Lindhardt, U

### INTERNATIONAL SEARCH REPORT

Inte onal Application No PCT/US 00/22162

	on) DOCUMENTS CONSIDERED TO BE RELEVANT	Relevant to claim No.
ategory ° C	Citation of document, with indication, where appropriate, of the relevant passages	nerevant to claim No.
, х	EP 0 951 147 A (KONINKL PHILIPS ELECTRONICS NV)	1
	20 October 1999 (1999-10-20) the whole document	2
}		
	•	
ĺ		
ł		

### INTERNATIONAL SEARCH REPORT

Information on patent family members

Inte onal Application No PCT/US 00/22162

	nt document n search report	ı	Publication date	Patent family member(s)	Publication date
US 4	1996599	A	26-02-1991	JP 2301211 A JP 2553949 B KR 148016 B	13-12-1990 13-11-1996 15-09-1998
DE 4	028572	Α	12-03-1992	NONE	
US 5	880643	A	09-03-1999	AU 1447899 A BR 9814969 A EP 1032970 A NO 20002264 A WO 9926335 A	07-06-1999 03-10-2000 06-09-2000 18-05-2000 27-05-1999
US 4	1186360	Α	29-01-1980	JP 53102601 A - JP 53107201 A	07-09-1978 19-09-1978
EP (	951147	Α	20-10-1999	CN 1235416 A JP 2000004180 A	17-11-1999 07-01-2000